



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

REG. 40. *Rotten eggs to be denatured.*—No rotten eggs shall be transported under this permit unless they have been denatured in a manner satisfactory to the department of health.

REG. 41. *Final disposal.*—Eggs transported under the permit may be delivered only to the following points:

(a) To a dock or boat set aside for the receipt of offal or garbage.

(b) To a contractor employed by the city of New York for the disposal of offal or garbage.

**Offensive Matter—Opening of Ground Containing—During Warm Months. (Reg. Dept. of Health, Mar. 30, 1915.)**

Regulations of the department of health of the city of New York, adopted March 30, 1915, effective April 1, 1915, relating to section 232 of the Sanitary Code, which provides as follows:

SEC. 232. *Offensive matter or substances; accumulations thereof not to be disturbed in certain periods of year; permit required.*—No ground or material filled with or containing offensive matter or substance, or that will emit or allow to arise through or from the same any offensive smell or deleterious exhalation, shall (adjacent to or within the built-up portion of the city of New York) be opened or turned up, nor shall the surface thereof be removed, between the first day of May and the first day of October of any year, without a permit therefor issued by the board of health, or otherwise than in accordance with the terms of said permit and with the regulations of said board.

REGULATION 1. *Prevention of dust and offensive odors.*—While ground containing offensive matter or substance is being opened, no dust or offensive odors shall be allowed to escape to the detriment or annoyance of any person or persons not being therein or thereupon engaged.

REG. 2. *Sprinkling ordered.*—When deemed necessary, the department of health may require the ground while being opened to be sprinkled with water to prevent the rising of dust therefrom, and may require the use of an adequate disinfecting solution to prevent the escape therefrom of offensive odors and to prevent the breeding of flies.

REG. 3. *Removal of material.*—All offensive material uncovered in opening such ground shall be immediately removed in proper tight-covered vehicles or containers so as not to cause a nuisance.

REG. 4. *Fence to be provided.*—If in opening such ground the excavated portion extend to the building line and be dangerous to pedestrians, said excavated portion shall be properly protected by a suitable fence.

REG. 5. *Accumulations of water prevented.*—In the opening of such ground and in the excavation, if such excavation remain in the opening of the ground, no accumulations of water shall be allowed to collect.

**Domestic Animals—Keeping, in City. (Reg. Dept. of Health, Mar. 30, 1915.)**

Regulations of the department of health of the city of New York, adopted March 30, 1915, effective April 1, 1915, relating to section 11 of the Sanitary Code, which provides as follows:

SEC. 11. *Horses, cattle, swine, sheep, geese, and goats; not to be kept or yarded without a permit.*—No horses shall be yarded and no cattle, swine, sheep, geese, or goats shall be kept or yarded within or adjacent to the built-up portions of the city of New York without a permit issued therefor by the board of health.

REGULATION 1. *Where yarded.*—No horses, cattle, swine, sheep, geese, or goats shall be yarded within or adjacent to the built-up portions of the city of New York, except when kept upon premises immediately abutting a slaughterhouse.

REG. 2. *Yards to be fenced in.*—Yards shall be inclosed by a suitable and properly constructed fence, so as to prevent animals from roaming at large.

REG. 3. *Yards to be kept clean.*—Yards shall be properly graded and drained and shall be kept clean and sanitary at all times.

**Cows—Keeping of—Stables. (Reg. Dept. of Health, Mar. 30, 1915.)**

Regulations of the department of health of the city of New York, adopted March 30, 1915, effective April 1, 1915, relating to section 12 of the Sanitary Code, which provides as follows:

SEC. 12. *Keeping of cows regulated.*—No cows shall be kept in the city of New York without a permit issued therefor by the board of health or otherwise than in accordance with the terms of the said permit and with the regulations of said board.

**REGULATIONS GOVERNING THE KEEPING OF COWS AND COW STABLES WITHIN THE CITY OF NEW YORK WHERE MILK IS PRODUCED AND PREPARED FOR SALE WITHIN THE CITY OF NEW YORK.**

REGULATION 1. *Construction of floors.*—Floors of all cow stables must be constructed throughout of cement and must be so graded as to discharge all drainage into properly trapped sewer-connected drains. Where no sewer is provided the drains must discharge into properly constructed cesspools. The floor opening of each drain shall be covered by a suitable metal strainer.

REG. 2. *Construction of gutters.*—All manure gutters shall have a depth of at least 6 inches at all points, and shall be constructed of cement and properly graded and drained.

REG. 3. *Floors and spaces behind cows.*—In all stables which are so constructed that the cows stand tail to tail, there shall be a space of at least 6 feet between the nearest edges of the opposite manure gutters. The floors and all of the spaces behind the cows shall be at least as high as the floors of the cow beds.

REG. 4. *Cow beds.*—The cow beds shall be constructed of such a length that all excreta will naturally fall into the gutters.

REG. 5. *Flushing of floors and cow beds.*—All floors and cow beds must be flushed with water at least once each day, and must at all times be kept in a cleanly condition.

REG. 6. *Construction of walls and ceilings.*—The walls and ceilings must be smoothly finished to prevent the collection of dust and dirt.

REG. 7. *Whitewashing or painting of walls, ceilings, and ledges.*—The walls, ceilings, and ledges must be properly whitewashed, or painted with some light-colored water-proof paint, or else constructed of smooth cement or other similar material. They shall at all times be kept clean and free from dust, dirt, and cobwebs. In all stables hereafter constructed the ceiling, sidewalls, and other woodwork shall be built of dressed material.

REG. 8. *Size of stable.*—The stable shall be of sufficient size to provide 600 cubic feet of air space for each cow. There shall be at least 4 square feet of window light for each 600 cubic feet of air space, and the windows shall be so situated as to afford an equal distribution of light throughout the entire stable.

REG. 9. *Window panes to be kept clean.*—The window panes must be kept clean.

REG. 10. *Adequate means of ventilation to be provided.*—The stable shall be provided with adequate means of ventilation of an approved automatic or gravity system, allowing 30 square inches of intake flues per 600 cubic feet of air space, and at least 40 square inches of outlet flues per 600 cubic feet of air space.

REG. 11. *Ventilation.*—The ventilation of the stable must be such that the air will be kept fresh and sweet.

REG. 12. *Interior constructions of wood prohibited.*—In all stables hereafter constructed, or buildings altered to be used as stables, there shall be no interior construc-